INDEX TO VOLUME 61

New names in *italic* type

Abrocoma bennetti, 256
Acerodon lucifer, 568
Achleitner, K.:
(see Withers, P. C.)
Acoustics, Trichechus manatus, 130
Activity:
Artibeus lituratus, 23
Equus caballus, 116
Lasionycteris noctivagans, 104
Lasiurus borealis, 104, 120
Lasiurus cinereus, 104
Miniopterus schreibersi, 120
Muntiacus reevesi, 368
Myotis lucifugus, 350
Myotis volans, 350
Neotoma stephensi, 214
Rhinolophus cornutus, 119
Spermophilus lateralis, 124
Ursus americanus, 8
Vampyrodes caraccioli, 23
Vespertilio superans, 120
Afghanistan, Macaca mulatta, 307
Africa, Loxodonta africana, 547
Aging:
Loxodonta africana, 547
Microtus pennsylvanicus, 561
Aguascalientes:
Arctodus pristinus, 724
Arctodus simus, 724
Dipodomys spectabilis, 564
Akodon:
longipilis, 257
olivaceus, 138, 256
Alaska:
Dicrostonyx torquatus, 269
Enhydra lutris, 575
Felis lynx, 265
Lemmus sibiricus, 269
Lepus americanus, 134
Microtus oeconomus, 269
Mustela erminea, 268
Mustela nivalis, 268
Sorex cinereus, 269
Alberta:
Canis latrans, 376
Felis lynx, 265
Myotis lucifugus, 350
Myotis septentrionalis, 350
Myotis volans, 350
Odocoileus hemionus, 716
Odocoileus virginianus, 716
Sorex cinereus, 66
Spermophilus columbianus, 237, 355
Spermophilus richardsonii, 531
Althoff, D. P.:
(see Andelt, W. F.)
Ames, J. A.:
(see Williams, T. D.)
Ammospermophilus:
harrisii, 715
insularis, 714
interpres, 715
leucurus, 271, 349, 714
nelsoni, 715
Andelt, W. F., D. P. Althoff, R. M. Case, and P. S. Gipson:
Surplus-killing by coyotes, 377
Anderson, D. C., J. A. MacMahon, and M. L. Wolfe:
Herbivorous mammals along a montane sere: community structure and energetics, 500
Antilocapra americana, 741
Antrozous pallidus, 119, 730
Apodemus:
mysticinus, 572
sylvaticus, 572
Aproteles bulmerae, 159
Aquadro, C. F., C. W. Kilpatrick, and K. L. Crowell:
Colonization of suitable habitat by Peromyscus leucopus in coastal Maine, 727
Arctictus binturong, 569
Arctocephalus gazella, 677
Arctodus:
pristinus, 724
simus, 724
Argentina:
Cabassous loricatus, 613
Cabassous unicinctus, 613
Chaetophractus nationi, 609
Chaetophractus vellerosus, 331, 334, 607
Chaetophractus villosus, 613
Chlamyphorus retusa, 613
Chlamyphorus truncatus, 613
Dasypus hybridus, 613
Dasypus novemcinctus, 613
Dasypus septemcinctus, 613
Euphractus sexcinctus, 613
Priodontes maximus, 613
Tolypeutes matacus, 607
Zaedyus pichiy, 613
Arizona:
Antrozous pallidus, 119, 730
Eptesicus fuscus, 529
Eutamias cinereicollis, 463
Lasionycteris noctivagans, 529
Lasiurus cinereus, 529
Leptonycteris sanborni, 730
Macrotus californicus, 730
Microtus montanus, 109
Myotis velifer, 118
Myotis yumanensis, 118
Neotoma albigula, 212
Neotoma stephensi, 214

INDEX TO VOLUME 61

New names in *italic* type

Abrocoma bennetti, 256
Acerodon lucifer, 568
Achleitner, K.:
(see Withers, P. C.)
Acoustics, Trichechus manatus, 130
Activity:
Artibeus lituratus, 23
Equus caballus, 116
Lasionycteris noctivagans, 104
Lasiurus borealis, 104, 120
Lasiurus cinereus, 104
Miniopterus schreibersi, 120
Muntiacus reevesi, 368
Myotis lucifugus, 350
Myotis volans, 350
Neotoma stephensi, 214
Rhinolophus cornutus, 119
Spermophilus lateralis, 124
Ursus americanus, 8
Vampyrodes caraccioli, 23
Vespertilio superans, 120
Afghanistan, Macaca mulatta, 307
Africa, Loxodonta africana, 547
Aging:
Loxodonta africana, 547
Microtus pennsylvanicus, 561
Aguascalientes:
Arctodus pristinus, 724
Arctodus simus, 724
Dipodomys spectabilis, 564
Akodon:
longipilis, 257
olivaceus, 138, 256
Alaska:
Dicrostonyx torquatus, 269
Enhydra lutris, 575
Felis lynx, 265
Lemmus sibiricus, 269
Lepus americanus, 134
Microtus oeconomus, 269
Mustela erminea, 268
Mustela nivalis, 268
Sorex cinereus, 269
Alberta:
Canis latrans, 376
Felis lynx, 265
Myotis lucifugus, 350
Myotis septentrionalis, 350
Myotis volans, 350
Odocoileus hemionus, 716
Odocoileus virginianus, 716
Sorex cinereus, 66
Spermophilus columbianus, 237, 355
Spermophilus richardsonii, 531
Althoff, D. P.:
(see Andelt, W. F.)
Ames, J. A.:
(see Williams, T. D.)
Ammospermophilus:
harrisii, 715
insularis, 714
interpres, 715
leucurus, 271, 349, 714
nelsoni, 715
Andelt, W. F., D. P. Althoff, R. M. Case, and P. S. Gipson:
Surplus-killing by coyotes, 377
Anderson, D. C., J. A. MacMahon, and M. L. Wolfe:
Herbivorous mammals along a montane sere: community structure and energetics, 500
Antilocapra americana, 741
Antrozous pallidus, 119, 730
Apodemus:
mysticinus, 572
sylvaticus, 572
Aproteles bulmerae, 159
Aquadro, C. F., C. W. Kilpatrick, and K. L. Crowell:
Colonization of suitable habitat by Peromyscus leucopus in coastal Maine, 727
Arctictus binturong, 569
Arctocephalus gazella, 677
Arctodus:
pristinus, 724
simus, 724
Argentina:
Cabassous loricatus, 613
Cabassous unicinctus, 613
Chaetophractus nationi, 609
Chaetophractus vellerosus, 331, 334, 607
Chaetophractus villosus, 613
Chlamyphorus retusa, 613
Chlamyphorus truncatus, 613
Dasypus hybridus, 613
Dasypus novemcinctus, 613
Dasypus septemcinctus, 613
Euphractus sexcinctus, 613
Priodontes maximus, 613
Tolypeutes matacus, 607
Zaedyus pichiy, 613
Arizona:
Antrozous pallidus, 119, 730
Eptesicus fuscus, 529
Eutamias cinereicollis, 463
Lasionycteris noctivagans, 529
Lasiurus cinereus, 529
Leptonycteris sanborni, 730
Macrotus californicus, 730
Microtus montanus, 109
Myotis velifer, 118
Myotis yumanensis, 118
Neotoma albigula, 212
Neotoma stephensi, 214

Peromyscus maniculatus, 705
Sigmodon hispidus, 304
Tadarida brasiliensis, 529
Thomomys bottae, 681
Arkansas:
Reithrodontomys humulis, 709
Reithrodontomys megalotis, 709
Arnold, M. L., R. J. Baker, and H. H. Genoways:
Evolutionary origin of Eptesicus lynni, 319
Artibeus:
jamaicensis, 20
lituratus, 20
Australia, Pseudomys australis, 537

Baccus, R., J. Joule, and W. J. Kimberling:
Linkage and selection analysis of biochemical variants in Peromyscus maniculatus, 423
Baiomys taylori, 708
Baja California:
Ammospermophilus insularis, 714
Neotoma lepida, 205
Perognathus spinatus, 208
Peromyscus maniculatus, 705
Baker, R. J.:
(see Arnold, M. L.)
(see Robbins, L. W.)
(see Smolen, M. J.)
Barry, R. E., Jr., and E. N. Francq:
Orientation to landmarks within the preferred habitat by Peromyscus leucopus, 292
Bassariscus astutus, 216
Bassett, J. E., and J. E. Wiebers:
Effect of food consumption on water loss in Myotis lucifugus, 744
Baumgardner, D. J.:
(see Dewsbury, D. A.)
Baverstock, P. R.:
(see Breed, W. G.)
Beacham, T. D.:
Survival of large and small adults in fluctuating populations of Microtus townsendii, 551
Beacham, T. D., and C. J. Krebs:
Pitfall versus live-trap enumeration of fluctuating populations of Microtus townsendii, 486
Beck, M. L.:
(see Kennedy, M. L.)
Behavior:
Antilocapra americana, 741
Artibeus lituratus, 20
Canis familiaris, 150
Canis latrans, 150, 376
Canis lupus, 150
Cebus albifrons, 156
Desmodus rotundus, 102, 336
Diaemus youngii, 102
Dicrostonyx torquatus, 278
Diphylla ecaudata, 102
Dusicyon culpaeus, 254
Dusicyon griseus, 254
Eira barbara, 156
Eptesicus fuscus, 104
Equus caballus, 116
Lagothrix flavicauda, 345
Lasionycteris noctivagans, 104
Lasiurus cinereus, 528
Lemmus sibiricus, 278
Martes americana, 157
Muntiacus reevesi, 368
Mus musculus, 520
Mustela erminea, 278
Mustela nivalis, 278
Myotis sodalis, 245
Myotis velifer, 107, 118
Myotis yumanensis, 118
Neotoma lepida, 205
Odocoileus virginianus, 126
Perognathus formosus, 113
Peromyscus leucopus, 141, 143
Peromyscus maniculatus, 141, 143, 219, 341
Peromyscus truei, 341
Rhinolophus ferrumequinum, 121
Sorex cinereus, 278
Spermophilus mohavensis, 347
Syntheosciurus, 725
Trichechus inunguis, 544
Trichechus manatus, 544
Vampyrodes caraccioli, 20
Bekoff, M.:
Accuracy of scent-mark identification for free-ranging dogs, 150
(see Lipetz, V. E.)
(see Rathbun, A. P.)
Belden, R. C., and D. J. Forrester:
A specimen of Felis concolor coryi from Florida, 160
Bell, G. P.:
A possible case of interspecific transmission of rabies in insectivorous bats, 528
Bellis, E. D.:
(see Thomas, R. E.)
Bensonomys, 158
Best, R. C.:
(see Bullock, T. H.)
Best, T. L.:
(see Kennedy, M. L.)
Bickham, J. W., M. J. Daniel, and M. W. Haiduk:
Karyotype of Mystacina tuberculata (Chiroptera: Mystacinidae), 322
Biogeography, Thomomys bottae, 693
Birney, E. C.:
(see Timm, R. M.)
Bison:
bison, 379
bonasus, 379
Bitar, N. A.:
(see Mares, M. A.)
Blarina:
brevicauda, 163, 300, 635
carolinensis, 635

Boag, D. A.:
(see Murie, J. O.)
Boeadi:
(see Musser, G. G.)
Boggess, E. K., F. R. Henderson, and J. R. Choate:
A black-footed ferret from Kansas, 571
Bolivia, Chaetophractus nationi, 607
Bolles, K.:
(see Mascarello, J. T.)
Borneo:
Callosciurus nigrovittatus, 569
Callosciurus notatus, 569
Cynogale bennettii, 569
Echinosorex gymnurus, 568
Hemigalus derbyanus, 569
Hylobates muelleri, 568
Macaca nemestrina, 568
Muntiacus muntjac, 570
Mustela nudipes, 569
Nasalis larvatus, 568
Nycticebus coucang, 568
Paradoxurus philippinensis, 569
Pongo pygmaeus, 568
Presbytis cristata, 568
Presbytis melalophos, 568
Ratufa affinis, 569
Thecurus crassispinis, 569
Trichys lipura, 569
Bos taurus, 379, 776
Bowen, W. D.:
Coyote–golden eagle interactions at an ungulate carcass, 376
Bradycardia, Marmota monax, 750
Bradypus variegatus, 465
Brain size, Peromyscus, 360
Brazil:
Diaemus youngii, 102
Euphractus sexcinctus, 607
Trichechus inunguis, 131
Breed, W. G., P. R. Baverstock, M. Gelder, and A. Jahnke:
A pseudohermaphroditic XY/XO mosaic Pseudomys australis (Rodentia: Muridae), 537
Breeding:
Sciurus aberti, 337
Spermophilus columbianus, 355
Spermophilus parryii, 355
Briese, L. A., and M. H. Smith:
Body condition, elemental balance, and parasitism in cotton rats, 763
Brisbin, I. L., Jr.:
(see Smith, M. W.)
British Columbia:
Microtus townsendii, 486
Odocoileus virginianus × O. hemionus, 716
Peromyscus maniculatus, 300
Bronson, M. T.:
Altitudinal variation in emergence time of golden-mantled ground squirrels (Spermophilus lateralis), 124
Bubalus mindorensis, 570
Buchler, E. R.:
Evidence for the use of a scent post by Myotis lucifugus, 525
Bullock, T. H., D. P. Downing, and R. C. Best:
Evoked brain potentials demonstrate hearing in a manatee (Trichechus inunguis), 130
Burrows, Chaetophractus vellerosus, 334

Cabassous:
centralis, 607
loricatus, 613
unicinctus, 613
Caire, W.:
(see Clawson, R. L.)
California:
Chumashius balchi, 192
Dyseolemur pacificus, 197
Enhydra lutris, 575
Eumetopias jubatus, 754
Hemiacodon sp., 181
Macrotarsius sp., 181
Microsyops kratos, 199
Microsyops sp. cf. M. annectens, 199
Microtus montanus, 109
Neotoma lepida, 212
Notharctus sp., 181
Omomys powayensis, 189
Pelycodus sp., 181
Peromyscus boylii, 573
Peromyscus maniculatus, 573, 703
Phoca vitulina, 754
Rheithrodontomys megalotis, 709
Sigmodon hispidus, 304
Spermophilus mohavensis, 347
Thomomys bottae, 681
Uintasorex montezumicus, 200
Washakius woodringi, 195
Zalophus californianus, 754
Callorhinus ursinus, 677
Callosciurus:
nigrovittatus, 569
notatus, 569
Calomys, 158:
callosus, 146
Canada, Sorex hoyi, 84
Canis:
familiaris, 150
latrans, 126, 150, 216, 373, 375, 376, 377, 741, 774
lupus, 150, 261, 325, 373
Capreolus capreolus, 370
Capretta, P. J., R. C. Farentinos, V. M. Littlefield, and R. M. Potter:
Feeding preferences of captive tassel-eared squirrels (Sciurus aberti) for ponderosa pine twigs, 734
Carter, D. C.:
(see Jones, J. K., Jr.)
Case, R. M.:
(see Andelt, W. F.)
Cayo Santiago, Macaca mulatta, 739
Cebus albifrons, 156
Cephalorhynchus:

commersonii, 738
eutropia, 739
heavisidii, 738
hectori, 739
Cervus:
calamianensis, 570
calionensis, 570
elaphus, 370, 376, 503
Chaetophractus:
nationi, 607
vellerosus, 331, 334, 607
villosus, 608
Chapais, B., and S. R. Schulman:
Alarm responses to raptors by rhesus monkeys at Cayo Santiago, 739
Chappell, M. A.:
Insulation, radiation, and convection in small arctic mammals, 269
Thermal energetics and thermoregulatory costs of small arctic mammals, 279
Chihuahua, Peromyscus maniculatus, 705
Chile:
Akodon olivaceus, 138
Dusicyon culpaeus, 254
Dusicyon fulvipes, 254
Dusicyon griseus, 254
Oryzomys longicaudatus, 138
Chlamyphorus:
retusa, 613
truncatus, 619
Choate, J. R.:
(see Boggess, E. K.)
Christensen, C. G., and G. H. Waring:
The "chuck" sound of the nine-banded armadillo (Dasypus novemcinctus), 737
Christian, D. P.:
(see Hill, R W.)
Chromosomes, Thomomys, 414
Chu, P. R.:
(see Vestal, B. M.)
Chumashius balchi, 191
Cimmaronomys stirtoni, 158
Clawson, R. L., R. K. LaVal, M. L. LaVal, and W. Caire:
Clustering behavior of hibernating Myotis sodalis in Missouri, 245
Clethrionomys:
gapperi, 480, 503
glareolus, 497
Coahuila, Dipodomys nelsoni, 563
Coleman, W. C.:
(see Vestal, B. M.)
Columbia:
Cebus albifrons, 156
Eira barbara, 156
Marmosa noctivaga, 381
Colorado:
Eutamias quadrivittatus, 464
Eutamias umbrinus, 461
Neotoma lepida, 215
Peromyscus maniculatus, 423, 705
Sciurus aberti, 337
Spermophilus elegans, 372
Zapus princeps, 122
Community structure, montane herbivores, 500
Competition:
Canis latrans, 376
Perognathus formosus, 113
Peromyscus leucopus, 141
Peromyscus maniculatus, 141
Connecticut, Peromyscus leucopus, 705
Coprophagy, Microtus pennsylvanicus, 366
Coryphomys buehleri, 410
Costa Rica:
Macrophyllum macrophyllum, 540
Micronycteris hirsuta, 540
Micronycteris megalotis, 327, 540
Micronycteris minuta, 540
Mimon cozumelae, 540
Mimon crenulatum, 543
Myotis albescens, 543
Myotis elegans, 543
Myotis keaysi, 543
Myotis nigricans, 543
Myotis oxyotis, 543
Myotis riparius, 543
Noctilio albiventris, 540
Pteronotus gymnonotus, 540
Pteronotus parnellii, 540
Syntheosciurus poasensis, 726
Thyroptera tricolor, 543
Tonatia bidens, 543
Tonatia silvicola, 543
Trachops cirrhosus, 540
Craseops sylvestris, 199
Crocuta crocuta, 743
Cross, S. P.:
(see Judd, S. R.)
Crowell, K. L.:
(see Aquadro, C. F.)
Cynocephalus volans, 568
Cynogale bennettii, 569
Cynomys:
leucurus, 355
ludovicianus, 571

Dalquest, W. W.:
Peromyscus beckensis Dalquest referred to the genus Symmetrodontomys, 157
Dalquest, W. W., and O. Mooser:
Arctodus pristinus Leidy in the Pleistocene of Aquascalientes, Mexico, 724
Daniel, M. J.:
(see Bickham, J. W.)
Daphoenictis, 720:
tedfordi, 722
Daphoenus, 720
Dasypus:
bellus, 624
novemcinctus, 331, 334, 606, 737
pilosus, 618
Defler, T. R.:
Notes on interactions between the tyra

(Eira barbara) and the white-fronted capuchin (Cebus albifrons), 156
Denning, Ursus americanus, 653
Density, Microtus pinetorum, 769
Dentition, Daphoenictis, 720
Description:
Eutamias quadrivittatus *australis*, 460
Komodomys rintjanus, 395
Palaeosinopa *dorri*, 451
Desmodus rotundus, 102, 336
Dew, R. D., and M. L. Kennedy:
Genic variation in raccoons, Procyon lotor, 697
Dewsbury, D. A., D. J. Baumgardner, R. L. Evans, and D. G. Webster:
Sexual dimorphism for body mass in 13 taxa of muroid rodents under laboratory conditions, 146
Diaemus youngii, 102
Dicrostonyx torquatus, 269
Didelphis:
marsupialis, 27
virginiana, 624
Diersing, V. E.:
Systematics and evolution of the pygmy shrews (Subgenus Microsorex) of North America, 76
Diet:
Peromyscus leucopus, 137
Sigmodon hispidus, 136
Tamias striatus, 137
Zapus hudsonius, 122
Zapus princeps, 122
Zapus trinotatus, 122
Diphylla ecaudata, 102
Dipodomys:
merriami, 589
microps, 589
nelsoni, 563
oklahomae, 311
ordii, 311, 436, 559, 589
panamintinus, 589
spectabilis, 563
Dispersal:
Microtus townsendii, 552
Spermophilus elegans, 372
Distribution:
Dipodomys ordii, 311
Peromyscus leucopus, 727
Sorex longirostris, 162
Tremarctos ornatus, 639
Vulpes velox, 161
Dobsonia moluccensis, 159
Domestication, Sus scrofa, 39
Domning, D. P.:
Feeding position preference in manatees (Trichechus), 544
(see Bullock, T. H.)
Dueser, R. D.:
(see Rose, R. K.)
Dugong dugong, 130
Durango:
Dipodomys nelsoni, 563
Dipodomys spectabilis, 563
Eutamias bulleri, 463
Reithrodontomys fulvescens, 709
Dusicyon:
culpaeus, 254
fulvipes, 254
griseus, 254
Dyseolemur pacificus, 197

Eaglen, R. H., and E. L. Simons:
Notes on the breeding biology of thick-tailed and silvery galagos in captivity, 534
Ears, jackrabbits, 30
Echinosorex:
gymnurus, 568, 608
Echymipera:
kalabu, 608
rufescens, 608
Ecology:
Dipodomys merriami, 589
Dipodomys microps, 589
Dipodomys ordii, 589
Dipodomys panamintinus, 589
Dusicyon culpaeus, 254
Dusicyon griseus, 254
Lasionycteris noctivagans, 104
Microdipodops megacephalus, 589
Neotoma lepida, 205, 589
Onychomys leucogaster, 589
Onychomys torridus, 589
Perognathus formosus, 589
Perognathus longimembris, 589
Peromyscus maniculatus, 589
Reithrodontomys megalotis, 589
Sorex cinereus, 163
Sorex longirostris, 162
Tremarctos ornatus, 639
Eira barbara, 156
Electrophoresis, Sus scrofa, 39
Eligmodontia typus, 331
Eliomys quercinus, 572
Emry, R. J., and R. M. Hunt, Jr.:
Maxillary dentition and new records of Daphoenictis, an Oligocene amphicyonid carnivore, 720
Enders, R. K.:
Observations on Syntheosciurus: taxonomy and behavior, 725
Energetics:
Blarina carolinensis, 628
Bradypus variegatus, 465
Cabassous centralis, 607
Chaetophractus nationi, 607
Chaetophractus vellerosus, 607
Chaetophractus villosus, 608
Chlamyphorus truncatus, 619
Dasypus novemcinctus, 606
Dicrostonyx torquatus, 269, 278
Didelphis virginiana, 624
Echinosorex gymnurus, 608
Echymipera kalabu, 608
Echymipera rufescens, 608
Erinaceus albiventris, 607

Erinaceus europaeus, 607
Euphractus sexcinctus, 607
Hemiechinus auritus, 608
Hylomys suillus, 608
Isodon macrourus, 608
Lemmus sibiricus, 269, 278
Macrotis lagotis, 608
Microtis oeconomus, 269
montane herbivores, 500
Mustela erminea, 268, 278
Mustela nivalis, 269, 278
Paraechinus aethiopicus, 608
Parameles nasuta, 608
Peromyscus boylii, 573
Peromyscus maniculatus, 573
Priodontes maximus, 607
Setifer setosus, 607
Sorex cinereus, 269, 278
Tenrec ecaudatus, 608
Tolypeutes matacus, 607
Zaedyus pichiy, 607
Enhydra lutris, 575
Eocene:
Chumashius balchi, 192
Dyseolemur pacificus, 197
Hemiacodon sp., 181
Macrotarsius sp., 181
Microsyops kratos, 199
Microsyops sp. cf. M. annecteus, 199
Notharctos sp., 181
Omomys powayensis, 189
Palaeosinopa lutreola, 451
Palaeosinopa veterrima, 449
Pelycodus sp., 181
Uintasorex montezumicus, 200
Washakius woodringi, 195
Eptesicus:
brasiliensis, 319
diminutus, 319
fuscus, 104, 319, 529
guadeloupensis, 319
lynni, 319
Equus:
asinus, 49
burchelli, 49
caballus, 49, 116
conversidens, 46
excelsus, 58
grevyi, 49
midlandensis, 58
niobrarensis, 46
occidentalis, 46
pacificus, 60
parastylidens, 61
przewalski, 62
quagga, 64
scotti, 54
semiplicatus, 62
tau, 62
Erethizon dorsatum, 503
Erinaceus:
albiventris, 607
europaeus, 607
Eumetopias jubatus, 754
Euphractus sexcinctus, 607
Eutamias:
bulleri, 455
canipes, 455
cinereicollis, 455
minimus, 123, 559
palmeri, 364
panamintinus, 364
quadrivittatus *australis*, 455
umbrinus, 455
Evans, R. L.:
(see Dewsbury, D. A.)
Evolution, Sorex hoyi, 76

Farentinos, R. C.:
Sexual solicitation of subordinate males by female tassel-eared squirrels (Sciurus aberti), 337
Farentinos, R. C.:
(see Capretta, P. J.)
Fatti, L. P., G. L. Smuts, A. M. Starfield, and A. A. Spurdle:
Age determination in African elephants, 547
Feist, D. D.:
Corticosteroid release by adrenal tissue of Alaskan snowshoe hares in a year of population decline, 134
Felis:
concolor, 150, 160, 266
lynx, 261
minuta, 569
Fennecus zerda, 748
Feresa attenuata, 356
Findley, J. S.:
(see Whitaker, J. O., Jr.)
Flinders, J. T.:
(see Steigers, W. D., Jr.)
Florida:
Dasypus novemcinctus, 607
Didelphis virginiana, 624
Felis concolor, 160
Feresa attenuata, 356
Procyon lotor, 697
Trichechus manatus, 544
Food caching, Lycaon pictus, 743
Food habits:
Akodon olivaceus, 138
Antrozous pallidus, 730
Canis latrans, 373, 774
Chaetophractus vellerosus, 331
Diaemus youngii, 102
Dusicyon culpaeus, 254
Dusicyon griseus, 254
Felis concolor, 161
Leptonycteris sanborni, 730
Macrophyllum macrophyllum, 540
Micronycteris hirsuta, 540
Micronycteris megalotis, 327, 540
Micronycteris minuta, 540
Mimon cozumalae, 540
Mimon crenulatum, 543
Myotis albescens, 543
Myotis elegans, 543

Myotis keaysi, 543
Myotis nigricans, 543
Myotis oxyotis, 543
Myotis riparius, 543
Noctilio albiventris, 540
Oryzomys longicaudatus, 138
Phyllostomus discolor, 543
Pteronotus gymnonotus, 540
Pteronotus parnellii, 540
Rhinolophus cornutus, 119
Sciurus aberti, 734
Sigmodon hispidus, 555
Spermophilus mohavensis, 348
Tamias striatus, 733
Thyroptera tricolor, 543
Tonatia bidens, 543
Tonatia silvicola, 543
Trachops cirrhosus, 540
Tremarctos ornatus, 639
Foraging:
Artibeus lituratus, 20
Vampyrodes caraccioli, 20
Forrester, D. J., D. K. Odell, N. P. Thompson, and J. R. White:
Morphometrics, parasites, and chlorinated hydrocarbon residues of pygmy killer whales from Florida, 356
Forrester, D. J.:
(see Belden, R. C.)
Fossil:
Arctodus pristinus, 724
Arctodus simus, 724
Bensonomys, 158
Calomys, 158
Chumashius balchi, 192
Cimmaronomys stirtoni, 158
Daphoenictis, 720
Daphoenus, 720
Dyseolemur pacificus, 197
equids, 46
Hemiacodon sp., 181
Leptomeryx, 723
Macrotarsius sp., 181
Microsyops kratos, 199
Microsyops sp. cf. M. annecteus, 199
Niphredil radagasti, 449
Notharctus sp., 181
Omomys powayensis, 189
Palaeosinopa didelphoides, 451
Palaeosinopa *dorri*, 451
Palaeosinopa lutreola, 451
Palaeosinopa simpsoni, 449
Palaeosinopa veterrima, 449
Paleotomus senior, 449
Pelycodus sp., 181
Peromyscus beckensis, 157
Peromyscus nesodytes, 158
Peromyscus pliocenicus, 158
Peromyscus sawrockensis, 158
Procyon lotor, 701
Propalaeosinopa albertensis, 453
Symmetrodontomys beckensis, 158
Symmetrodontomys simplicidens, 158
Thomomys microdon, 420
Thomomys scudderi, 421
Thomomys vetus, 421
Tremarctos floridanus, 724
Uintasorex montezumicus, 200
Ursus americanus, 724
Washakius woodringi, 195
Francq, E. N.:
(see Barry, R. E.)
Funakoshi, K., and T. A. Uchida:
Feeding activity of the Japanese lesser horseshoe bat, Rhinolophus cornutus cornutus, during the hibernation period, 119
Functional morphology, Peromyscus, 360

Gabon, Erinaceus albiventris, 607
Galago crassicaudatus, 534
Gall, C.:
(see Zembal, R.)
Garner, G. W., and J. A. Morrison:
Observations of interspecific behavior between predators and white-tailed deer in southwestern Oklahoma, 126
Garshelis, D. L., and M. R. Pelton:
Activity of black bears in the Great Smoky Mountains National park, 8
Garten, C. T., Jr.:
Ingestion of soil by hispid cotton rats, white-footed mice, and eastern chipmunks, 136
Gazella granti, 744
Gelder, M.:
(see Breed, W. G.)
Genetics:
Eptesicus lynni, 319
Microtus agrestis, 112
Peromyscus leucopus, 703
Peromyscus maniculatus, 703
Procyon lotor, 697
Sigmodon hispidus, 304
Sus scrofa, 39
Thomomys bottae, 681
Genetic variation, Peromyscus maniculatus, 423
Genetta:
genetta, 749
tigrina, 747
Genoways, H. H.:
(see Arnold, M. L.)
(see Smolen, M. J.)
Geographic variation, Dipodomys ordii, 436
Geomys:
bursarius, 233, 752
garbanii, 694
Georgia:
Eptesicus fuscus, 319
Peromyscus leucopus, 705
Peromyscus maniculatus, 705
Procyon lotor, 697
Reithrodontomys humulis, 709
Sus scrofa, 39
Gertler, P. E., and J. Morales:
Snake predation on Marmosa noctivaga, 381

Gingerich, P. D.:
A new species of Palaeosinopa (Insectivora: Pantolestidae) from the late Paleocene of western North America, 449
Gipson, P. S.:
(see Andelt, W. F.)
Glass, G. E., and N. A. Slade:
Population structure as a predictor of spatial association between Sigmodon hispidus and Microtus ochrogaster, 473
Glaucomys sabrinus, 503
Gonzalez, L. A.:
(see Murúa, R.)
Graves, G. R., and J. P. O'Neill:
Notes of the yellow-tailed woolly monkey (Lagothrix flavicauda) of Peru, 345
Greegor, D. H., Jr.:
Diet of the little hairy armadillo, Chaetophractus vellerosus, of northwestern Argentina, 331
Preliminary study of movements and home range of the armadillo, Chaetophractus vellerosus, 334
Growth rates:
Eutamias palmeri, 364
Eutamias panamintinus, 364
Pagophilus groenlandicus, 670
Sigmodon hispidus, 556
Gunderson, H. L., and B. R. Mahan:
Analysis of sonograms of American bison (Bison bison), 379
Guyana, Priodontes maximus, 607

Habitat:
Komodomys rintjanus, 407
Peromyscus leucopus, 292, 727
Peromyscus maniculatus, 727
Haiduk, M. W.:
(see Bickham, J. W.)
Halichoerus grypus, 759
Harris, A. H., and L. S. W. Porter:
Late Pleistocene horses of Dry Cave, Eddy County, New Mexico, 46
Hartman, S. E.:
Geographic variation analysis of Dipodomys ordii using nonmetric cranial traits, 436
Heisinger, J. F.:
(see Ouellette, D. E.)
Hemiacodon:
gracilis, 187
sp., 181
Hemiechinus auritus, 608
Hemigalus derbyanus, 569
Henderson, F. R.:
(see Boggess, E. K.)
Hennemann, W. W., III, and M. J. Konecny:
Oxygen consumption in large spotted genets, Genetta tigrina, 747
Hennessy, D. F.:
Early olfactory determinants of adult responsiveness to social status odors in Mus musculus, 520
Herpestes auropunctatus, 747
Hibernation:
Myotis lucifugus, 350
Myotis sodalis, 245
Myotis volans, 350
Rhinolophus cornutus, 119
Spermophilus lateralis, 124
Hill, R. W., D. P. Christian, and J. H. Veghte:
Pinna temperature in exercising jackrabbits, Lepus californicus, 30
Hitchcock, H. B.:
(see Keen, R.)
Holland, Rhinolophus ferrumequinum, 5
Home range:
Chaetophractus vellerosus, 334
Peromyscus maniculatus, 661
Tamias striatus, 661
Howell, D. J.:
Adaptive variation in diets of desert bats has implications for evolution of feeding strategies, 730
Hunt, R. M., Jr.:
(see Emry, R. J.)
Hybridization, Galago crassicaudatus, 534
Hybrids, Odocoileus virginianus × O. hemionus, 716
Hylobates muelleri, 568
Hylomys suillus, 608
Hylopetes nigripes, 569
Hyndman, D., and J. I. Menzies:
Aproteles bulmerae (Chiroptera: Pteropodidae) of New Guinea is not extinct, 159

Idaho:
Dipodomys ordii, 559
Eutamias minimus, 559
Lagurus curtatus, 559
Microtus montanus, 559
Onychomys leucogaster, 559
Perognathus parvus, 559
Peromyscus maniculatus, 558, 705
Reithrodontomys megalotis, 559
Spermophilus townsendii, 559
Indiana:
Blarina brevicauda, 163
Microtus ochrogaster, 163
Microtus pinetorum, 163
Myotis lucifugus, 745
Peromyscus leucopus, 163
Sorex cinereus, 163
Sorex longirostris, 162
Synaptomys cooperi, 163
Zapus hudsonius, 163
Indochina, Macaca fascicularis, 307
Indonesia:
Coryphomys buehleri, 410
Komodomys rintjanus, 397
Mus caroli, 410
Mus musculus, 410
Papagomys armandvillei, 395
Papagomys verhoeveni, 410

Rattus exulans, 409
Rattus norvegicus, 409
Rattus rintjanus, 395
Spelaeomys florensis, 410
Infreared radiography, Lepus californicus, 30
Interspecific competition, Microtus ochrogaster × Sigmodon hispidus, 473
Iowa:
Peromyscus leucopus, 705
Peromyscus maniculatus, 705
Isodon macrourus, 608

Jahnke, A.:
(see Breed, W. G.)
Jaksic, F. M., R. P. Schlatter, and J. L. Yanez:
Feeding ecology of central Chilean foxes, Dusicyon culpaeus and Dusicyon griseus, 254
Jalisco, Arctodus pristinus, 724
Jamaica, Eptesicus lynni, 319
Japan, Rhinolophus cornutus, 119
Jofre, C.:
(see Murua, R.)
Johnson, K. C., and M. R. Pelton:
Environmental relationships and the denning period of black bears in Tennessee, 653
Johnson, M. K.:
(see Meriwether, D.)
Jones, J. K., Jr., and D. C. Carter:
The snow vole, Microtus nivalis, in the lowlands of western Yugoslavia, 572
Joule, J.:
(see Baccus, R.)
Judd, S. R., S. P. Cross, and S. Pathak:
Non-Robertsonian chromosomal variation in Microtus montanus, 109

Kansas:
Microtus ochrogaster, 473
Mustela nigripes, 571
Peromyscus leucopus, 705
Promiscuous manipulator, 705
Reithrodontomys megalotis, 709
Sigmodon hispidus, 473
Karyotype:
Ammospermophilus harrisii, 715
Ammospermophilus insularis, 714
Ammospermophilus leucurus, 714
Baiomys taylori, 708
Microtus montanus, 109
Mystacina tuberculata, 322
Onychomys torridus, 708
Peromyscus leucopus, 727
Peormyscus melanotis, 708
Pseudomys australis, 539
Reithrodontomys creper, 708
Reithrodontomys fulvescens, 708
Reithrodontomys humulis, 708
Reithrodontomys megalotis, 708
Reithrodontomys mexicanus, 708
Reithrodontomys montanus, 708
Reithrodontomys raviventris, 708
Reithrodontomys sumichrasti, 708
Keenan, M. A.:
(see Keiper, R. R.)
Keen, R., and H. B. Hitchcock:
Survival and longevity of the little brown bat (Myotis lucifugus) in southeastern Ontario, 1
Keiper, R. R., and M. A. Keenan:
Nocturnal activity patterns of feral ponies, 116
Kennedy, M. L., M. L. Beck, and T. L. Best:
Intraspecific morphologic variation in Ord's kangaroo rat, Dipodomys ordii, from Oklahoma, 311
Kennedy, M. L.:
(see Dew, R. D.)
Kenya, Loxodonta africana, 547
Kilpatrick, C. W.:
(see Aquadro, C. F.)
Kimberling, W. J.:
(see Baccus, R.)
Kivett, V. K.:
(see Murie, J. O.)
Komodomys rintjanus, 397
Konecny, M. J.:
(see Hennemann, W. W., III)
Krebs, C. J.:
(see Beacham, T. D.)

Lagenorhynchus albirostris, 359
Lagothrix:
flavicauda, 345
hendeei, 345
Lagurus curtatus, 559
Lasionycteris noctivagans, 104, 529
Lasiurus:
borealis, 104, 120
cinereus, 104, 528
LaVal, M. L.:
(see Clawson, R. L.)
(see LaVal, R. K.)
LaVal, R. K.:
(see Clawson, R. L.)
LaVal, R. K., and M. L. LaVal:
Prey selection by a neotropical foliage-gleaning bat, Micronycteris megalotis, 327
Lavigne, D. M.:
(see Stewart, R. E. A.)
Lemen, C.:
Relationship between relative brain size and climbing ability in Peromyscus, 360
Lemmus sibiricus, 269
Lemur:
fulvus, 536
macaco, 536
Leptomeryx, 723
Leptonychotes weddelli, 759
Leptonycteris sanborni, 730
Lepus:
americanus, 134, 261, 502
californicus, 30
Lillegraven, J. A.:

Primates from later Eocene rocks of southern California, 181
Ling, J. K.:
(see Walker, G. E.)
Lipetz, V. E., and M. Bekoff:
Possible functions of predator harassment in pronghorn antelopes, 741
Litter size:
Galago crassicaudatus, 534
Galago garnetti, 534
Spermophilus armatus, 242
Spermophilus beecheyi, 242
Spermophilus beldingi, 242
Spermophilus columbianus, 237
Spermophilus franklinii, 242
Spermophilus lateralis, 242
Spermophilus parryii, 242
Spermophilus richardsonii, 242
Spermophilus townsendii, 242
Spermophilus tridecemlineatus, 242
Littlefield, V. M.:
(see Capretta, P. J.)
Llewellyn, J. B.:
Seasonal change in the aggressive behavior of Peromyscus maniculatus inhabiting a pinyon-juniper woodland in western Nevada, 341
Lombardi, J. R., and J. M. Whitsett:
Effects of urine from conspecifics on sexual maturation in female prairie deermice, Peromyscus maniculatus bairdii, 766
Longevity:
Microtus pennsylvanicus, 760
Myotis lucifugus, 1
Louisiana, Dasypus novemcinctus, 737
Loxodonta africana, 547
Lycaon pictus, 743
Lynx rufus, 126, 216

Macaca:
fascicularis, 307
irus, 568
mindora, 568
mulatta, 307, 739
nemistrina, 568
philippinensis, 568
MacMahon, J. A.:
(see Anderson, D. C.)
Macrophyllum macrophyllum, 540
Macrotarsius:
jepseni, 193
sp., 181
Macrotis lagotis, 608
Macrotus californicus, 330, 730
Madagascar, Setifer setosus, 607
Mahan, B. R.:
(see Gunderson, H. L.)
Maine:
Peromyscus leucopus, 727
Peromyscus maniculatus, 705
Malcolm, J. R.:
Food caching by African wild dogs (Lycaon pictus), 743
Manis javanica, 569
Manitoba:
Felis lynx, 261
Sorex cinereus, 66
Mares, M. A., M. R. Willig, and N. A. Bitar:
Home range size in eastern chipmunks, Tamias striatus, as a function of number of captures: statistical biases of inadequate sampling, 661
Marking:
Felis concolor, 150
Odocoileus hemionus, 150
Odocoileus virginianus, 150
Marmosa:
elegans, 257
noctivaga, 381
Marmota:
flaviventris, 513
monax, 124, 750
Martes americana, 157
Martin, N. S.:
(see Moore, R. E.)
Maryland, Peromyscus leucopus, 705
Mascarello, J. T., and K. Bolles:
C- and G-banded chromosomes of Ammospermophilus insularis (Rodentia: Sciuridae), 714
Massachusetts, Eptesicus fuscus, 319
Masters, R. D.:
Daytime resting sites of two Adirondack pine martens, 157
Matson, J. O.:
The status of banner-tailed kangaroo rats, genus Dipodomys, from central Mexico, 563
Mattison, J. A.:
(see Williams, T. D.)
Maza, B. G.:
(see Smith, M. H.)
Mazen, W. S., and R. L. Rudd:
Comparative energetics in two sympatric species of Peromyscus, 573
McClenaghan, L. R., Jr.:
The genetic structure of an isolated population of Sigmodon hispidus from the lower Colorado River Valley, 304
McLean, I. G.:
(see Murie, J. O.)
McNab, B. K.:
Energetics and the limits to a temperate distribution in armadillos, 606
Measurements, Feresa attenuata, 356
Mech, L. D.:
Age, sex, reproduction, and spatial organization of lynxes colonizing northeastern Minnesota, 261
Melanism, Ursus americanus, 324
Meles meles, 748
Menzies, J. I.:
(see Hyndman, D.)
Meriwether, D., and M. K. Johnson:
Mammalian prey digestibility by coyotes, 774
Mexico, Arctodus simus, 724

Michener, G. R.:
Estrous and gestation periods in Richardson's ground squirrels, 531
Michigan:
Didelphis virginiana, 624
Peromyscus leucopus, 299
Peromyscus maniculatus, 661, 705
Tamias striatus, 661
Microdipodops megacephalus, 589
Micronycteris:
hirsuta, 330, 540
megalotis, 327, 540
minuta, 540
Microsyops:
annectens, 199
elegans, 199
lundeliusi, 199
kratos, 199
sp. cf. M. annectens, 199
Microtus:
agrestis, 112, 497
breweri, 497
californicus, 496
canicaudus, 146
montanus, 109, 146, 513, 559
nivalis, 572
ochrogaster, 146, 163, 300, 473, 496
oeconomus, 269
oregoni, 300
pennsylvanicus, 146, 300, 366, 480, 496, 561, 760
pinetorum, 163, 769
townsendii, 486, 551
Migration:
Eumetopias jubatus, 754
Zalophus californianus, 754
Mills, R. S.:
Parturition and social interaction among captive vampire bats, Desmodus rotundus, 336
Mimon:
cozumelae, 540
crenulatum, 543
Miniopterus schreibersi, 120
Minnesota:
Didelphis virginiana, 624
Felis lynx, 261
Ursus americanus, 324
Mirounga leonina, 677, 699
Missouri:
Myotis sodalis, 245
Peromyscus leucopus, 300
Molt, Ursus americanus, 324
Monachus schauinslandi, 759
Montana:
Daphoenictis, 720
Vulpes velox, 161
Montgomery, G. G.:
(see Nagy, K. N.)
Moore, R. E., and N. S. Martin:
A recent record of the swift fox (Vulpes velox) in Montana, 161
Mooser, O.:
(see Dalquest, W. W.)
Morales, J.:
(see Gertler, P. E.)
Morphology:
Eutamias quadrivittatus, 455
Thomomys bottae, 688
Morrison, D. W.:
Foraging and day-roosting dynamics of canopy fruit bats in Panama, 20
Morrison, J. A.:
(see Garner, G. W.)
Mortality, Microtus pennsylvanicus, 760
Movement, Chaetophractus vellerosus, 334
Muntiacus:
muntjac, 570
reevesi, 368
Murie, J. O., D. A. Boag, and V. K. Kivett:
Litter size in Columbian ground squirrels (Spermophilus columbianus), 237
Murie, J. O., and I. G. McLean:
Copulatory plugs in ground squirrels, 355
Muruúa, R., L. A. Gonzalez, and C. Jofre:
Experimental food preferences of two southern Chilean rodents, 138
Mus:
caroli, 410
musculus, 146, 410, 436, 520, 766
Musser, G. G., and Boeadi:
A new genus of murid rodent from the Komodo Islands in Nusatenggara, Indonesia, 395
Mustela:
erminea, 268, 513
frenata, 513
nigripes, 571
nivalis, 268
nudipes, 569
Mydaus marchei, 569
Myotis:
albescens, 543
elegans, 543
keaysi, 543
lucifugus, 1, 350, 525, 744
nigricans, 543
oxyotis, 543
riparius, 543
septentrionalis, 350
sodalis, 245
velifer, 107, 118, 746
volans, 350
yumanensis, 118
Mystacina tuberculata, 322

Nagy, K. N., and G. G. Montgomery:
Field metabolic rate, water flux, and food consumption in the three-toed sloths (Bradypus variegatus), 465
Nannosciurus concinnus, 569
Nasalis larvatus, 568
Nebraska:
Bison bison, 379
Canis latrans, 377
Daphoenictis, 720
Neophoca cinerea, 164

Neotoma:
albigula, 212
cinerea, 503
lepida, 205, 589
mexicana, 217
micropus, 212
stephensi, 214
Nerterogeomys, 694
Nevada:
Ammospermophilus leucurus, 714
Dipodomys merriami, 589
Dipodomys microps, 589
Dipodomys ordii, 589
Dipodomys panamintinus, 589
Lepus californicus, 30
Microdipodops megacephalus, 591
Neotoma lepida, 589
Onychomys leucogaster, 589
Onychomys torridus, 589
Perognathus formosus, 589
Perognathus longimembris, 589
Peromyscus maniculatus, 341, 589
Peromyscus truei, 341
Reithrodontomys megalotis, 589
Newfoundland, Felis lynx, 262
New Guinea:
Aproteles bulmerae, 159
Dobsonia moluccensis, 159
New Hampshire:
Blarina brevicauda, 300
Didelphis virginiana, 624
Peromyscus leucopus, 292, 705
Peromyscus maniculatus, 705
New Mexico:
Dipodomys ordii, 436
Equus conversidens, 46
Equus niobrarensis, 46
Equus occidentalis, 46
Equus sp., 46
Eutamias canipes, 455
Eutamias cinereicollis, 455
Eutamias quadrivittatus *australis*, 455
Microtus montanus, 109
Peromyscus maniculatus, 705
Reithrodontomys megalotis, 709
"Species A," 46
New York:
Didelphis virginiana, 624
Martes americana, 157
Microtus pinetorum, 769
Myotis lucifugus, 525
Peromyscus leucopus, 300, 705
Peromyscus maniculatus, 705
Tamias striatus, 733
New Zealand, Mystacina tuberculata, 322
Niphredil radagasti, 449
Noctilio albiventris, 540
Norment, C. J.:
Breech presentation of the fetus in a pregnant muskox, 776
Northwest Atlantic, Pagophilus groenlandicus, 670
Northwest Territories, Ovibos moschatus, 776
Northarctus:
robustior, 184
sp., 181
North Carolina:
Peromyscus leucopus, 705
Peromyscus maniculatus, 705
Sus scrofa, 39
Ursus americanus, 8
Nuevo Leon:
Tremarctos floridanus, 724
Ursus americanus, 724
Nutrition, Microtus pennsylvanicus, 366
Nycticebus:
coucang, 568
menagensis, 568

Octodon:
degus, 256
lunatus, 257
Odell, D. K.:
(see Forrester, D. J.)
Odocoileus:
hemionus, 150, 376, 503, 716
virginianus, 126, 150, 262, 700, 716, 750
O'Farrell, M. J.:
Spatial relationships of rodents in a sagebrush community, 589
O'Farrell, T. P.:
Eutamias growth rates: additional corrections, 364
Ohio, Peromyscus leucopus, 705
Oklahoma:
Canis latrans, 126
Dipodomys ordii, 311, 436
Felis rufus, 126
Marmota monax, 751
Odocoileus virginianus, 126
Oligocene:
Daphoenictis, 720
Leptomeryx, 723
Omomys:
carteri, 190
powayensis, 184
Onager zoyatalis, 56
O'Neill, J. P.:
(see Graves, G. R.)
Ontario:
Didelphis virginiana, 624
Felis lynx, 261
Myotis lucifugus, 1
Peromyscus leucopus, 298
Onychomys:
leucogaster, 146, 559, 589
torridus, 589, 708
Oregon:
Eptesicus fuscus, 104
Lasionycteris noctivagans, 104
Microtus montanus, 109
Peromyscus maniculatus, 705
Orientation, Peromyscus leucopus, 292
Oryctolagus cuniculus, 35, 255, 366
Oryzomys:
longicaudatus, 138, 257
palustris, 774
Otolemur:

crassicaudatus, 534
garnetti, 534
Ouellette, D. E., and J. F. Heisinger:
Reingestion of feces by Microtus pennsylvanicus, 366
Ourayia uintensis, 195
Ovis canadensis, 376
Ovibos moschatus, 776

Pagophilus groenlandicus, 670
Pakistan, Macaca mulatta, 307
Palaeosinopa:
didelphoides, 451
dorri, 451
lutreola, 451
simpsoni, 449
Paleocene:
Niphredil radagasti, 449
Palaeosinopa *dorri*, 451
Palaeosinopa simpsoni, 449
Paleotomus senior, 449
Propalaeosinopa albertensis, 453
Paleotomus senior, 449
Panama:
Artibeus jamaicensis, 20
Artibeus lituratus, 20
Bradypus variegatus, 465
Cabassous centralis, 607
Didelphis marsupialis, 27
Didelphis virginiana, 624
Macrophyllum macrophyllum, 540
Philander opossum, 27
Phyllostomus discolor, 543
Pteronotus parnellii, 540
Syntheosciurus brochus, 725
Syntheosciurus poasensis, 726
Tonatia bidens, 543
Tonatia silvicola, 543
Trachops cirrhosus, 540
Vampyrodes caraccioli, 20
Papagomys:
armandvillei, 395
verhoeveni, 410
Pappogeomys castanops, 224
Paradoxurus philippinensis, 569
Paraechinus aethiopicus, 608
Paramanis culionensis, 569
Parasites:
Feresa attenuata, 356
Macaca fascicularis, 307
Macaca mulatta, 307
Sigmodon hispidus, 763
Parturition:
Desmodus rotundus, 336
Ovibos moschatus, 776
Patagonia, Zaedyus pichiy, 609
Pathak, S.:
(see Judd, S. R.)
Patterson, B. D.:
A new subspecies of Eutamias quadrivittatus (Rodentia: Sciuridae) from the Organ Mountains, New Mexico, 455
Patton, J. L.:
(see Smith, M. F.)
Pelage, Ursus americanus, 324
Pelton, M. R.:
(see Garshelis, D. L.)
(see Johnson, K. C.)
Pelycodus:
ralstoni, 185
sp., 181
Pennsylvania:
Arctodus pristinus, 725
Microtus pennsylvanicus, 561
Peromyscus leucopus, 705
Tamias striatus, 661
Perameles nasuta, 608
Perognathus:
formosus, 113, 589
longimembris, 589
parvus, 559
spinatus, 208
Peromyscus:
beckensis, 157
boylii, 158, 360, 573
californicus, 360
comanchi, 423
crinitus, 360
difficilis, 360, 423
eremicus, 146, 360
floridanus, 301, 360, 423
gossypinus, 146, 360
leucopus, 137, 141, 143, 146, 163, 292, 360, 637, 703, 727, 774
maniculatus, 123, 141, 143, 146, 219, 299, 341, 360, 423, 503, 558, 573, 589, 661, 703, 727, 766
melanotis, 708
nesodytes, 158
pectoralis, 360, 423
pliocenicus, 158
polionotus, 146, 423, 555, 704
sawrockensis, 158
sitkensis, 360
truei, 341, 360, 424
Peru:
Dasypus pilosus, 618
Lagothrix flavicauda, 345
Tremarctos orantus, 639
Petaurista petaurista, 569
Peyton, B.:
Ecology, distribution, and food habits of spectacled bears, Tremarctos ornatus, in Peru, 639
Pfeifer, S.:
Aerial predation on Wyoming ground squirrels, 371
Philander opossum, 27
Philippines:
Arctictis binturong, 569
Bubalus mindorensis, 570
Cervus calamianensis, 570
Cynocephalus volans, 568
Felis minuta, 569
Hylopetes nigripes, 569
Macaca irus, 568
Manis javanica, 569
Mydaus marchei, 569

Nannosciurus concinnus, 569
Nycticebus menagensis, 568
Paradoxurus philippinensis, 569
Pteropus hypomelanus, 568
Pteropus vampyrus, 568
Scotophilus temminckii, 568
Sundasciurus mindanensis, 569
Sundasciurus mollendorfii, 569
Sundasciurus samarensis, 569
Sundasciurus steerii, 569
Sus barbatus, 570
Sus celebensis, 570
Tarsius syrichta, 568
Thecurus pumilus, 569
Tragulus nigricans, 570
Tupaia palawanensis, 568
Viverra tangalunga, 569
Phoca:
hispida, 759
vitulina, 754
Phocartos hookeri, 164
Phyllostomus discolor, 543
Phyllotis:
darwini, 256
griseoflavus, 331
Physiology:
Blarina carolinensis, 628
Lepus americanus, 134
Lepus californicus, 30
Oryctolagus cuniculus, 35
Pipistrellus hesperus, 119
Pleistocene:
Arctodus pristinus, 724
Arctodus simus, 724
Equus conversidens, 46
Equus niobrarensis, 46
Equus occidentalis, 46
Geomys garbanii, 694
Nerterogeomys, 694
Procyon lotor, 701
Thomomys microdon, 420
Thomomys scudderi, 421
Thomomys vetus, 421
Tremarctos floridanus, 724
Ursus americanus, 724
Pongo pygmaeus, 568
Population dynamics:
Eumetopias jubatus, 754
Felis lynx, 261
Lepus americanus, 134
Microtus pennsylvanicus, 760
Microtus pinetorum, 769
Microtus townsendii, 486, 551
Phoca vitulina, 754
Sigmodon hispidus, 555
Pappogeomys castanops, 224
Zalophus californianus, 754
Population:
Peromyscus maniculatus, 219
Sigmodon hispidus, 304
Porter, L. S. W.:
(see Harris, A. H.)
Predation:
Canis latrans, 126, 373, 375, 377
Lynx rufus, 126
Marmosa noctivaga, 381
Micronycteris megalotis, 327
Microtus townsendii, 554
Spermophilus elegans, 372
Presbytis:
cristata, 568
melalophos, 568
Priodontes maximus, 607
Procyon lotor, 697
Propalaeosinopa albertensis, 453
Pseudomys australis, 537
Pteronotus:
gymnonotus, 540
parnellii, 540
Pteropus:
hypomelanus, 568
vampyrus, 568
Puebla, Arctodus pristinus, 724

Radio-tracking:
Artibeus lituratus, 20
Vampyrodes caraccioli, 20
Randolph, J. C.:
Daily metabolic patterns of short-tailed shrews (Blarina) in three natural seasonal temperature regimes, 628
Rathbun, A. P., M. C. Wells, and M. Bekoff:
Cooperative predation by coyotes on badgers, 375
Rattus:
argentiventer, 397
exulans, 409
niviventer, 396
norvegicus, 409, 539
rattus, 257, 397
rintjanus, 395
Ratufa affinis, 569
Reith, C. C.:
Shift in times of activity by Lasionycteris noctivagans, 104
Reithrodontomys:
creper, 708
fulvescens, 708
humulis, 708
megalotis, 559, 589, 708
mexicanus, 708
montanus, 708
raviventris, 708
sumichrasti, 708
Reproduction:
Enhydra lutris, 575
Galago crassicaudatus, 534
Galago garnetti, 534
Microtus pinetorum, 769
Microtus townsendii, 554
Myotis lucifugus, 350
Myotis volans, 350
Neotoma lepida, 205
Pappogeomys castanops, 224
Peromyscus maniculatus, 219, 766
Sciurus aberti, 337
Spermophilus columbianus, 237
Spermophilus richardsonii, 531

Reynolds, T. D.:
Effects of some different land management practices on small mammal populations, 558
Rhinolophus:
cornutus, 119
ferrumequinum, 5, 121
Rhodesia, Loxodonta africana, 548
Robbins, L. W., and R. J. Baker:
G- and C-band studies of the primitive karyotype for Reithrodontomys, 708
Rogers, L. L.:
Inheritance of coat color and changes in pelage coloration in black bears in northeastern Minnesota, 324
Roosts:
Artibeus lituratus, 20
Vamyrodes caraccioli, 20
Rose, R. K.:
The southeaste-n shrew, Sorex longirostris, in southern Indiana, 162
Rose, R. K., and R. D. Dueser:
Lifespan of Virginia meadow voles, 760
Rudd, R. L.:
(see Mazen, W. S.)
Russia, Enhydra lutris, 575

Saskatchewan:
Daphoenictis, 720
Sorex cinereus, 66
Sazima, I., and W. Uieda:
Feeding behavior of the white-winged vampire bat, Diaemus youngii, on poultry, 102
Schadler, M. H.:
The effects of crowding on the maturation of gonads in pine voles, Microtus pinetorum, 769
Schevill, W. E.:
(see Watkins, W. A.)
Schlatter, R. P.:
(see Jaksic, F. M.)
Schowalter, D. B.:
Swarming, reproduction, and early hibernation of Myotis lucifugus and M. volans in Alberta, Canada, 350
Schulman, S. R.:
(see Chapais, B.)
Schwartz, S. T.:
(see Vaughan, T. A.)
Sciurus:
aberti, 337, 734
carolinensis, 355, 774
Scotophilus temmincki, 568
Setifer setosus, 607
Sex ratio, Spermophilus elegans, 372
Sexual dimorphism:
Calomys callosus, 147
Microtus canicaudus, 147
Microtus montanus, 147
Microtus ochrogaster, 147
Microtus pennsylvanicus, 147
Mus musculus, 147
Onychomys leucogaster, 147
Peromyscus eremicus, 147
Peromyscus gossypinus, 147
Peromyscus leucopus, 147
Peromyscus maniculatus, 147
Peromyscus polionotus, 147
Shaffer, L.:
Use of scatterhoards by eastern chipmunks to replace stolen food, 733
Sigmodon:
arizonae, 306
hispidus, 136, 304, 473, 497, 555, 763
Simons, E. L.:
(see Eaglen, R. H.)
Slade, N. A.:
(see Glass, G. E.)
Smith, E. N., and R. A. Woodruff:
Fear bradycardia in free-ranging woodchucks, Marmota monax, 750
Smith, M. F., and J. L. Patton:
Relationships of pocket gopher (Thomomys bottae) populations of the lower Colorado River, 681
Smith, M. H.:
(see Briese, L. A.)
(see Smith, M. W.)
Smith, M. H., B. G. Maza, and J. G. Wiener:
Social interaction and spatial distribution in a desert rodent, 113
Smith, M. W., M. H. Smith, and I. L. Brisbin, Jr.:
Genetic variability and domestication in swine, 39
Smolen M. J., H. H. Genoways, and R. J. Baker:
Demographic and reproductive parameters of the yellow-cheeked pocket gopher (Pappogeomys castanops), 224
Smuts, G. L.:
(see Fatti, C. P.)
Sorex:
articus, 83
beringianus, 82
cinereus, 66, 82, 163, 269, 514
hoyi, 76
longirostris, 162
merriami, 82
monticolus, 82
saussurei, 83
trowbridgii, 83
South Africa, Loxodonta africana, 548
South Australia, Neophoca cinerea, 164
South Carolina:
Sigmodon hispidus, 555, 763
Sus scrofa, 39
South Dakota:
Microtus pennsylvanicus, 366
Peromyscus maniculatus, 705
Spalacopus cyanus, 256
Speciation:
Macaca facicularis, 307
Macaca mulatta, 307

Spelaeomys florensis, 407
Spermophilus:
armatus, 242, 750
beecheyi, 242, 355
beldingi, 124, 242
columbianus, 124, 355
elegans, 372, 532
franklinii, 242
lateralis, 124, 242, 503, 513
mohavensis, 347
parryii, 242, 355
richardsonii, 124, 240, 371, 531
townsendii, 242, 559
tridecemlineatus, 240, 355, 532
Springer, J. T.:
Fishing behavior of coyotes on the Columbia River, southcentral Washington, 373
Spurdle, A. A.:
(see Fatti, L. P.)
Stah, C. D.:
Vertical nesting distribution of two species of Peromyscus under experimental conditions, 141
Starfield, A. M.:
(see Fatti, L. P.)
Steigers, W. D., Jr., and J. T. Flinders:
A break-away expandable collar for cervids, 150
Stewart, R. E. A., and D. M. Lavigne:
Neonatal growth of Northwest Atlantic harp seals, Pagophilus groenlandicus, 670
Stockia powayensis, 181
Strait of Magellan, Cephalorhynchus commersonii, 738
Sullivan, R. M.:
Seasonal occurrence and haul-out use in pinnipeds along Humboldt County, California, 754
Sumatra, Petaurista petaurista, 569
Sundasciurus:
mindanensis, 569
mollendorfi, 569
samarensis, 569
steerii, 569
Survival rates:
Microtus townsendii, 551
Myotis lucifugus, 1
Sus:
barbatus, 570
celebensis, 570
scrofa, 39
Sylvilagus floridanus, 750, 774
Symmetrodontomys:
beckensis, 157
simplicidens, 158
Synaptomys cooperi, 163
Syntheosciurus:
brochus, 725
poasensis, 725
Systematics:
Sorex cinereus, 66
Sorex hoyi, 76
Thomomys, 414

Tadarida brasiliensis, 528
Tamias:
minimus, 502
striatus, 137, 555, 637, 661, 733
umbrinus, 502
Tamiasciurus hudsonicus, 503
Tanzania:
Crocuta crocuta, 743
Gazella granti, 744
Loxodonta africana, 547
Lycaon pictus, 743
Tapirus pinchaque, 647
Tarsius:
philippinensis, 568
syrichta, 568
Taxidea taxus, 375
Taxonomy:
Dipodomys nelsoni, 563
Dipodomys ordii, 311
Dipodomys spectabilis, 563
Eptesicus brasiliensis, 319
Eptesicus diminutus, 319
Eptesicus fuscus, 319
Eptesicus lynni, 319
Eutamias quadrivittatus, 455
Galago crassicaudatus, 534
Galago garnetti, 534
Komodomys rintjanus, 395
Mystacina tuberculata, 322
Rattus rintjanus, 395
Sorex hoyi, 89
Syntheosciurus, 725
Tayra barbara, 749
Techniques:
infrared radiography, 30
marking cervids, 150
radio-tracking, 20
timing activity, 153
trapping, 486
Temperature regulation, Lepus californicus, 30
Tennessee:
Blarina carolinensis, 628
Peromyscus leucopus, 137, 705
Peromyscus manicultus, 705
Procyon lotor, 697
Sigmodon hispidus, 136
Sus scrofa, 39
Tamias striatus, 137
Ursus americanus, 8, 653
Tenrec ecaudatus, 608
Terman, C. R.:
Social factors influencing delayed reproductive maturation in prairie deermice (Peromyscus maniculatus bairdii) in laboratory populations, 219
Tesha, W. R.:
Effects of food availability on trap response of the hispid cotton rat, Sigmodon hispidus, 555

Texas:
Dipodomys ordii, 436
Eutamias canipes, 463
Neotoma micropus, 212
Pappogeomys castanops, 224
Peromyscus leucopus, 705
Peromyscus maniculatus, 705
Procyon lotor, 697
Reithrodontomys fulvescens, 709
Reithrodontomys montanus, 709
Thaeler, C. S., Jr.:
Chromosome numbers and systematic relations in the genus Thomomys (Rodentia: Geomyidae), 414
Thecurus:
crassispinus, 569
pumilus, 569
Thermoregulation, Genetta tigrina, 747
Thomas, R. E., and E. D. Bellis:
An eye-lens weight curve for determining age in Microtus pennsylvanicus, 561
Thomomys:
bottae, 233, 414, 681
bulbivorus, 414
clusius, 415
idahoensis, 414
mazama, 414
microdon, 420
monticola, 233, 415
scudderi, 421
talpoides, 414, 502
townsendii, 414
umbrinus, 414
vetus, 421
Thompson, N. P.:
(see Forrester, D. J.)
Thyroptera tricolor, 543
Timm, R. M., and E. C. Birney:
Mammals collected by the Menage scientific expedition to the Philippine Islands and Borneo, 1890–1893, 566
Tolypeutes matacus, 607
Tonatia:
bidens, 543
silvicola, 543
Trachops cirrhosus, 540
Tragulus nigricans, 570
Tremarctos:
floridanus, 724
ornatus, 639
Trichechus:
inunguis, 130, 544
manatus, 130, 544
Trichys lipura, 569
Tupaia palawanensis, 568

Uchida, T. A.:
(see Funakoshi, K.)
Uganda, Loxodonta africana, 547
Uieda, W.:
(see Sazima, I.)
Uintasorex:
montezumicus, 200
parvulus, 200
United States, Sorex hoyi, 84
Ursus:
americanus, 8, 324, 653, 699, 724
arctos, 325
Utah:
Ammospermophilus leucurus, 714
Clethrionomys gapperi, 503
Cervus elaphus, 503
Erethizon dorsatum, 503
Glaucomys sabrinus, 503
Lepus americanus, 502
Macrotarsius jepseni, 195
Marmota flaviventris, 513
Microtus montanus, 109
Mustela erminea, 513
Mustela frenata, 513
Neotoma cinerea, 503
Odocoileus hemionus, 503
Ourayia uintensis, 195
Peromyscus maniculatus, 503, 705
Sciurus aberti, 735
Spermophilus lateralis, 503, 513
Tamias minimus, 502
Tamias umbrinus, 502
Tamiasciurus hudsonicus, 503
Thomomys talpoides, 502
Zapus princeps, 503

Vampyrodes caraccioli, 20
Vampyrum spectrum, 543
Van Zyll de Jong, C. G.:
Systematic relationships of woodland and prairie forms of the common shrew, Sorex cinereus cinereus Kerr and S. c. hayden Baird in the Canadian prairie provinces, 66
Variation:
Dipodomys ordii, 311
Sorex hoyi, 76
Sus scrofa, 39
Vaughan, T. A.:
Opportunistic feeding by two species of Myotis, 118
Vaughan, T. A., and S. T. Schwartz:
Behavioral ecology of an insular woodrat, 205
Vaughan, T. A., and W. P. Weil:
The importance of arthropods in the diet of Zapus princeps in a subalpine habitat, 122
Veghte, J. H.:
(see Hill, R. W.)
Venezuela:
Eptesicus brasiliensis, 319
Eptesicus diminutus, 319
Vermont:
Didelphis virginiana, 624
Peromyscus leucopus, 705
Peromyscus maniculatus, 705
Vespertilio superans, 120
Vestal, B. M., W. C. Coleman, and P. R. Chu:
Age of first leaving the nest in two

species of deer mice (Peromyscus), 143
Virginia, Microtus pennsylvanicus, 760
Viverra tangalunga, 569
Vocalization:
Bison bison, 379
Cephalorhynchus commersonii, 738
Cephalorhynchus eutropia, 739
Cephalorhynchus heavisidii, 738
Cephalorhynchus hectori, 739
Dasypus novemcinctus, 737
Macaca mulatta, 739
Vulpes velox, 161

Walker, G. E., and J. K. Ling:
Body weights and dimensions of adult female Australian sea lions, Neophoca cinerea, 164
Waring, G. H.:
(see Christensen, C. G.)
Washakius:
insignis, 197
woodringi, 195
Washington:
Canis latrans, 373
Microtus montanus, 109
Water loss:
Myotis lucifugus, 744
Myotis velifer, 746
Watkins, W. A., and W. E. Schevill:
Characteristic features of the underwater sounds of Cephalorhynchus commersonii, 738
Webster, D. G.:
(see Dewsbury, D. A.)
Weight:
Enhydra lutris, 575
Galago crassicaudata, 536
Galago garnetti, 536
Sigmodon hispidus, 556
Weil, W. P.:
(see Vaughan, T. A.)
Wells, M. C.:
(see Rathbun, A. P.)
West Virginia, Procyon lotor, 697
Wheatley, B. P.:
Malaria as a possible selective factor in the speciation of macaques, 307
Whitaker, J. O., Jr., and J. S. Findley:
Foods eaten by some bats from Costa Rica and Panama, 540
White, J. R.:
(see Forrester, D. J.)
Whitsett, J. M.:
(see Lombardi, J. R.)
Wiebers, J. E.:
(see Bassett, J. E.)
Wiener, J. G.:
(see Smith, M. H.)
Williams, T. D., J. A. Mattison, and J. A. Ames:
Twinning in a California sea otter, 575
Willig, M. R.:
(see Mares, M. A.)
Wisconsin, Didelphis virginiana, 624
Wishart, W. D.:
Hybrids of white-tailed and mule deer in Alberta, 716
Withers, P. C., and K. Achleitner:
A simple, low-cost timing device for mammal traps, 153
Wolfe, M. L.:
(see Anderson, D. C.)
Woodruff, R. A.:
(see Smith, E. N.)
Wyoming:
Antilocapra americana, 741
Canis latrans, 375, 741
Chumashius balchi, 192
Daphoenictis, 720
Hemiacodon gracilis, 192
Leptomeryx, 723
Microsyops annectens, 199
Notharctus robustior, 189
Omomys carteri, 190
Palaeosinopa *dorri*, 451
Taxidea taxus, 375
Washakius insignis, 197

Yahner, R. H.:
Activity patterns of captive Reeve's muntjacs (Muntiacus reevesi), 368
Yanez, J. L.:
(see Jaksic, F. M.)
Yucatan, Micronycteris megalotis, 540
Yugoslavia, Microtus nivalis, 572
Yukon Territory, Spermophilus parryii, 355

Zacatecas:
Dipodomys nelsoni, 563
Dipodomys spectabilis, 563
Zaedyus pichiy, 607
Zalophus californianus, 754
Zambia, Loxodonta africana, 548
Zapus:
hudsonius, 122, 163
princeps, 122, 503
trinotatus, 122
Zembal, R., and C. Gall:
Observations on Mohave ground squirrels, Spermophilus mohavensis, in Inyo County, California, 347

Reviews

Altenbach, J. S.:
Review of locomotor morphology of the vampire bat, Desmodus rotundus, reviewed by T. Strickler, 579
Corbet, G. B., and H. N. Southern (eds.):
The handbook of British mammals, 2nd edition, reviewed by R. J. Berry, 169
D'Huart, J. P.:
Ecology of the forest hog (Hylochoerus meinertzhageri Thomas) in Virunga National Park, reviewed by R. H. Barrett, 167
Doyle, G. A., and R. D. Martin (eds.):
The study of prosimian behavior, reviewed by T. Rowell, 386
Fleischer, G.:
Evolutionary principles of the mammalian middle ear. Advances in anatomy, embryology and cell biology, reviewed by D. M. Lay, 388
Gotch, A. F.:
Mammals—their Latin names explained; a guide to animal classification, reviewed by G. C. Steyskal, 581
Griffiths, M.:
The biology of the monotremes, reviewed by J. M. Taylor, 382
Hamilton, W. J., Jr., and J. O. Whitaker, Jr.:
Mammals of the eastern United States, reviewed by G. L. Kirkland, Jr., 780
Hanks, J.:
The struggle for survival: the elephant problem, reviewed by J. Shoshani, 782
Hartman, D.:
Ecology and behavior of the manatee (Trichechus manatus) in Florida, reviewed by C. Barnett, 577
Kleiman, D. G. (ed.):
The biology and conservation of the Callitrichidae, reviewed by J. Terborgh, 384
Krebs, J. R., and N. B. Davies (eds.):
Behavioural ecology: an evolutionary approach, reviewed by H. W. Greene, 168
Marshall, J., and E. Marshall:
The gibbons: songs of all species, recorded in their natural forest habitat, reviewed by J. F. Eisenberg, 783
Menzies, J. I., and E. Dennis:
Handbook of New Guinea rodents, reviewed by W. Z. Lidicker, Jr., 779
Niethammer, J., and F. Krapp (eds.):
Handbuch der Säugetiere Europas. Band 1, Rodentia I (Sciuridae, Castoridae, Gliridae, Muridae), reviewed by R. S. Hoffmann, 580
Schlitter, D. A. (ed.):
Ecology and taxonomy of African small mammals, reviewed by J. Meester, 383
Wimsatt, W. A. (ed.):
Biology of bats, reviewed by S. R. Humphrey, 166
Zimina, R. P.:
Marmots. Distribution and ecology, reviewed by R. S. Hoffmann, 778



U.S. POSTAL SERVICE
STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION: JOURNAL OF MAMMALOGY
A. PUBLICATION NO.: 7 8 0 9 2 1 0
2. DATE OF FILING: 9-10-80
3. FREQUENCY OF ISSUE: Quarterly
3A. NO. OF ISSUES PUBLISHED ANNUALLY: 4
3B. ANNUAL SUBSCRIPTION PRICE: $23.00
4. LOCATION OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers): 1041 New Hampshire Street, Lawrence (Douglas) Kansas 66044
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers): Same as #4
6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR
PUBLISHER (Name and Address): American Society of Mammalogists 1041 New Hampshire Street, Lawrence, Kansas 66044
EDITOR (Name and Address):
MANAGING EDITOR (Name and Addr.): Elmer C. Birney, Bell Museum, Univ. of Minnesota, Minneapolis, MN 55455
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.)

NAME	ADDRESS
American Society of Mammalogists	1041 New Hampshire Street, Lawrence, KS 66044

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

NAME	ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 132.122, PSM)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)
[X] HAVE NOT CHANGED DURING PRECEDING 12 MONTHS [ ] HAVE CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED (Net Press Run)	5100	5100
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTIONS	3965	4234
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	3965	4234
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	19	18
E. TOTAL DISTRIBUTION (Sum of C and D)	3984	4252
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	1116	848
2. RETURNS FROM NEWS AGENTS		
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	5100	5100

11. I certify that the statements made by me above are correct and complete.
SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: Elmer C. Birney, Managing Editor

12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 132.121, Postal Service Manual) 39 U.S.C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."
In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U.S.C. 3626.
SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

PS Form 3526, July 1977 (Page 1) (See instructions on reverse)